


CONSTRUCTION NOTES:

- 1) ALL PRESSURE VESSELS ARE 100# NON CODE VESSELS LINED WITH 10-12 MILS OF EPOXY COATING AND EXTERNALLY COATED WITH 2-3 MILS OF INDUSTRIAL RED PRIMER FINISH.
- 2) ALL PIPING IS SCH 40 GALVANIZED STEEL ALL FITTINGS ARE CLASS 150# MALLEABLE THREADED GALVANIZED STEEL.
- 3) ALL AUTOMATIC VALVES ARE (NORMALLY OPEN) CAST IRON DIAPHRAGM TYPE FOR SERVICE LINES 4" AND SMALLER.
- 4) ALL CONTROLS ARE MOUNTED IN NEMA 12 STEEL ELECTRICAL ENCLOSURES.
- 5) SHOWN AS TWIN ALTERNATING SYSTEM WITH ONLY ONE TANK IN SERVICE AT ALL TIMES. USES AUTOMATIC RESET BATCH METER AND ALTERNATOR STAGER ASSEMBLY.



5-233

REVISIONS			
NO.	DATE	BY	REMARKS



MHC SERIES TWIN WATER SOFTENER SKID MOUNTED/PREPIPED/PREWired			
FRAC. ±	DEC. ±	FILE ID.	MHC TWIN SKID
DRN.	SPL	SCALE	NTS SHEET 1 OF 1
APP'D.	DRAWING NO.		REV.
DATE	7-12-00		0